



S-SV EMS Crisis Standard of Care Prehospital Treatment Orders

838-C

NOTICE

ORDERS MUST BE CONFIRMED VERBALLY WITH AN S-SV EMS REPRESENTATIVE

The following actions shall be implemented immediately to maintain the stability of the EMS delivery system. All PSAPs, ambulance dispatch centers, EMS provider agencies and personnel shall be informed of these orders. If it is not possible to provide a copy of this form electronically, these orders may be relayed verbally to all affected agencies and personnel.

Effective Date/Time:

End Date/Time:

Affected OA(s): Butte Colusa Nevada Placer Shasta Siskiyou Sutter Tehama Yuba

CRISIS STANDARD OF CARE PREHOSPITAL TREATMENT ORDERS

Name:

Title:

Signature:

Date/Time:

Operating as an agent of the S-SV EMS Agency, I hereby authorize the following orders:

Initial to Execute

General Prehospital EMS Directions

Implement changes to accommodate BLS transport: No continuous cardiac monitoring, pacing, or medication therapy (during transport)

Adult Treatment Protocols

Initial to Execute

Treatment Protocol

Altered Treatment

Altered Disposition

C-1 Pulseless Arrest

No treatment

Refer to Public Access #

C-5 Return of Spontaneous Circulation

No change

Schedule BLS transport

C-6 Tachycardia With Pulses

No change

Schedule BLS transport

C-7 Bradycardia

No change

Schedule BLS transport

C-8 Chest Pain/Cardiac Symptoms

No change

Schedule BLS transport

R-1 Airway Obstruction

No change

Schedule BLS transport

R-2 Respiratory Arrest

Attempt to open & establish airway if appropriate

Refer to public access # for deceased. Schedule BLS transport for all others

R-3 Acute Respiratory Distress

No change

Schedule BLS transport

M-1 Allergic Reaction/Anaphylaxis

No change

Schedule BLS transport

M-2 Shock: Non-Traumatic Hypovolemia

Oral rehydration (water, electrolyte replacement fluids, etc.)

Schedule BLS transport



S-SV EMS Crisis Standard of Care Prehospital Treatment Orders

838-C

Adult Treatment Protocols (continued)			
Initial to Execute	Treatment Protocol	Altered Treatment	Altered Disposition
	M-3 Phenothiazine/Dystonic Reaction	No change	Schedule BLS transport
	M-5 Ingestions and Overdoses	No change	Schedule BLS transport
	M-6 General Medical Treatment	No change	Schedule BLS transport
	M-7 Nausea/Vomiting (From Any Cause)	Treat for shock if indicated. Trial of PO fluids. Trial of OTC antiemetic, if available (follow label instructions)	Schedule BLS transport
	M-8 Pain Management	No change	Schedule BLS transport
	M-9 CO Exposure	No change	Schedule BLS transport
	N-1 Altered Level of Consciousness	No change	Competent adults with normal V/S, blood glucose and mental status 10 minutes after ALS intervention may be released-at-scene if the cause of their condition and its solution has been identified
	N-2 Seizure	No change	Competent adults with normal V/S, blood glucose and mental status 10 minutes after ALS intervention may be released-at-scene if the cause of their condition and its solution has been identified
	N-3 Suspected CVA/Stroke	No change	Schedule BLS transport
	OB/G-1 Childbirth	No change	Schedule BLS transport
	E-1 Hyperthermia	No change	Schedule BLS transport
	E-2 Hypothermia	No change	Schedule BLS transport
	E-3 Frostbite	No change	Schedule BLS transport
	E-4 Bites and Envenomations	No change	Schedule BLS transport
	E-7 Hazardous Materials Exposure	No change	Schedule BLS transport
	E-8 Nerve Agent Treatment	No change	Schedule BLS transport



**S-SV EMS Crisis Standard of Care
Prehospital Treatment Orders**

838-C

Adult Treatment Protocols (continued)			
Initial to Execute	Treatment Protocol	Altered Treatment	Altered Disposition
	T-1 General Trauma Management	If shock develops and does not respond to IV bolus of 2000 ml, provide palliative care only. Provide immobilization, ice packs and pain control (EMS or OTC pain meds as appropriate). Clean wounds with soap and water. Remove foreign bodies and debris. Irrigate with NS or clean water as available and apply dressings. Signs of infection require higher level of care.	Schedule BLS transport
	T-2 Tension Pneumothorax	No change	Schedule BLS transport
	T-8 Hemorrhage	No change	Schedule BLS transport
	T-10 Burns	No change	Schedule BLS transport
Pediatric Treatment Protocols			
	P-1 General Pediatric Protocol	No change	Schedule BLS transport
	P-2 Neonatal Resuscitation	No change	Schedule BLS transport
	P-3 Apparent Life Threatening Event	No change	Schedule BLS transport
	P-4 Pulseless Arrest	No treatment	Refer to public access #
	P-6 Bradycardia – With Pulses	No change	Schedule BLS transport
	P-8 Tachycardia – With Pulses	No change	Schedule BLS transport
	P-10 Foreign Body Airway Obstruction	No change	Schedule BLS transport
	P-12 Respiratory Failure/Arrest	Attempt to open & establish airway if appropriate	Refer to public access # for deceased. Schedule BLS transport all others
	P-14 Respiratory Distress – Wheezing	No change	Schedule BLS transport
	P-16 Respiratory Distress – Stridor	No change	Schedule BLS transport
	P-18 Allergic Reaction/Anaphylaxis	No change	Schedule BLS transport
	P-20 Shock	Oral rehydration (water, electrolyte replacement fluids, etc.)	Schedule BLS transport
	P-22 Overdose and/or Poisoning	No change	Schedule BLS transport
	P-24 Altered Level of Consciousness	No change	Schedule BLS transport



**S-SV EMS Crisis Standard of Care
Prehospital Treatment Orders**

838-C

Pediatric Treatment Protocols (continued)

Initial to Execute	Treatment Protocol	Altered Treatment	Altered Disposition
	P-26 Seizure	No change	Schedule BLS transport
	P-32 Nausea/Vomiting (From Any Cause)	Treat for shock if indicated. Trial of PO fluids. Trial of OTC antiemetic, if available (follow label instructions)	Schedule BLS transport
	P-34 Pain Management	No Change	Schedule BLS transport

Additions/Notes: